

Mon, 2 Oct 2006, 12:44:51 AM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 ((((((((hybrid<in>metadata) <and>
(broadcast*<in>metadata))<or> (directory<in>metadata))
<and>(cache<in>metadata)))<and>(coheren* <paragraph>
protocol<in>metadata)))<and>(directory <near/5>
protocol<in>metadata)))<AND>(retry* <or>
retried<in>metadata))
- #2 ((((((((hybrid<in>metadata) <and>
(broadcast*<in>metadata))<or> (directory<in>metadata))
<and>(cache<in>metadata)))<and>(coheren* <paragraph>
protocol<in>metadata)))<AND>(directory <near/5>
protocol<in>metadata))
- #3 (((((((hybrid<in>metadata) <and> (broadcast*<in>metadata))
<or> (directory<in>metadata))<and>(cache<in>metadata)))
<AND>(coheren* <paragraph> protocol<in>metadata))
- #4 ((((hybrid<in>metadata) <and> (broadcast*<in>metadata))
<or> (directory<in>metadata))<AND>(cache<in>metadata))
- #5 ((hybrid<in>metadata) <and> (broadcast*<in>metadata))
<or> (directory<in>metadata)
- #6 ((hybrid<in>metadata) <and> (broadcast*<in>metadata))
<or> (directory<in>metadata)
- #7 ((hybrid<in>metadata) <and> (broadcast*<in>metadata))
<or> (directory<in>metadata)
- #8 ((hybrid<in>metadata) <and> (broadcast*<in>metadata))
<or> (directory<in>metadata)
- #9 ((((protocol<in>metadata) <and> (broadcast<in>metadata))
<and> (directory<in>metadata))<AND>(conflict* <or> (race
<near/3> condition) <or> (retry* <near/5> request*)
<in>metadata))
- #10 ((((protocol<in>metadata) <and> (broadcast<in>metadata))
<and> (directory<in>metadata))<AND>(conflict* <or> (race
<near/3> condition) <or> (retry* <near/5> request*)
<in>metadata))
- #11 ((protocol<in>metadata) <and> (broadcast<in>metadata))
<and> (directory<in>metadata)
- #12 ((protocol<in>metadata) <and> (broadcast<in>metadata))
<and> (directory<in>metadata)

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S213	11133	(writ\$3 near3 back) near7 (memory cache "L1" "L2")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 17:20
S214	11	S213 same (((broadcast\$3 multicast\$3 multi-cast\$3) near5 (node processor cpu)) same (respond\$3 response acknowledged\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 17:26
S215	3	S214 same ((order\$3 near3 point) with (mov\$3 migrat\$3 copy\$3 copied transfer\$4 send\$3 sent displac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 17:26
S216	5	S214 and ((order\$3 near3 point) with (mov\$3 migrat\$3 copy\$3 copied transfer\$4 send\$3 sent displac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 17:25
S217	2	S216 not S215	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 17:25
S218	232	S213 and (((broadcast\$3 multicast\$3 multi-cast\$3) near5 (node processor cpu)) same (respond\$3 response acknowledged\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 17:26
S219	25	S218 and ((order\$3 near3 point) with (mov\$3 migrat\$3 copy\$3 copied transfer\$4 send\$3 sent displac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 17:28
S220	20	S219 not S216	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 20:22

EAST Search History

S22 1	95	((order\$3 near3 point).((serial\$7 sequenc\$3) near3 request\$3)) with (memory adj (line block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 20:55
S22 2	2	S221 same ((transfer\$4 near3 data) with (cache "L1" "L2") with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 20:56
S22 3	2	S221 same (((transfer\$4 near3 data) with (cache "L1" "L2") with memory)) write-back victim\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 20:46
S22 4	81	((order\$3 near3 point) ((serial\$7) near3 request\$3)) with (memory adj (line block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 20:55
S22 5	2	S221 same (((transfer\$4 near3 data) with (cache "L1" "L2") with memory) (updat\$3 near3 memory) (write-back victim\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 20:59
S22 6	1	S224 same (((transfer\$4 near3 data) with (cache "L1" "L2") with memory) (updat\$3 near3 memory) (write-back victim\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 20:59
S22 7	61	S224 and (((transfer\$4 near3 data) with (cache "L1" "L2") with memory) (updat\$3 near3 memory) (write-back victim\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:02
S22 8	17	S227 and (memory with connect\$3 with (processor node) with (network interconnect))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:04

EAST Search History

S229	17	S227 and (memory with (connect\$3 attach\$5) with (processor node) with (network interconnect))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:05
S230	17	S227 and ((memory with (connect\$3 attach\$5) with (processor node) with (network interconnect)) (((multipl\$5 several plural\$3 many) near3 node) with (attach\$5 connect\$3) with memory with network))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:07
S231	17	S227 and ((memory with (connect\$3 attach\$5) with (processor node) with (network interconnect switch (switch adj fabric) (hierchical adj switch)))) (((multipl\$5 several plural\$3 many) near3 node) with (attach\$5 connect\$3) with memory with network))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:39
S232	14	S231 and ((state near5 (modified owned dirty)) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:42
S233	14	S231 and ((state near5 (modified)) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:42
S234	13	S231 and ((state near5 (owned)) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:42
S236	13	S233 and ((state near5 (owned)) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:43

EAST Search History

S23 7	13	S236 and ((state near5 dirty) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 20:45
S23 8	0	S236 and ((state near5 exclusive) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:44
S23 9	0	S237 and ((state near5 exclusive) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:45
S24 0	0	S237 and ((state near5 first) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:45
S24 1	81	((order\$3 near3 point) ((serial\$7 near3 request\$3)) with (memory adj (line block)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 20:46
S24 2	61	S241 and (((transfer\$4 near3 data) with (cache "L1" "L2") with memory) (updat\$3 near3 memory) (write-back victim\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:43
S24 3	17	S242 and ((memory with (connect\$3 attach\$5) with (processor node) with (network interconnect switch (switch adj fabric) (hierchical adj switch))) (((multipl\$5 several plural\$3 many) near3 node) with (attach\$5 connect\$3) with memory with network))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 20:46
S24 4	14	S243 and ((state near5 (modified)) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 20:46

EAST Search History

S24 5	13	S244 and ((state near5 (owned)) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 20:46
S24 6	13	S245 and ((state near5 dirty) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 20:46
S24 7	13	S246 and ((order\$3 near3 point) (serial\$8 near3 request\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:44
S24 8	8	S247 and ((writ\$3 near3 back) victim\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 21:04
S24 9	0	S248 and ((broadcast\$3 with (writ\$3 near3 back)) same (acknowledg\$7 ACK))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 21:06
S25 0	0	S248 and ((broadcast\$3 with (writ\$3 near3 back)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 21:06
S25 1	0	S248 and ((broadcast\$3 with (writ\$3 near5 back)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 21:07
S25 2	0	S248 and ((broadcast\$3 same (writ\$3 near5 back)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 21:07

EAST Search History

S25 3	8	S248 and ((broadcast\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:05
S25 4	0	S248 and (((broadcast\$3)) same (acknowledg\$7 ACK))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 21:08
S25 5	0	S248 and ((broadcast\$3 near3 source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 21:48
S25 6	2	"20030217236".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:23
S25 7	0	S256 and (source near3 broadcast\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:05
S25 8	0	"(20030217236) 20040002992 20050251631)".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:24
S25 9	6	("20030217236" "20040002992" "20050251631").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:24
S26 0	0	S259 and (retry\$3 retried) with ((forward adj progress) (null adj directory) (directiry near3 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:29

EAST Search History

S26 1	0	S253 and (retry\$3 retried) with ((forward adj progress) (null adj directory) (directory near3 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:30
S26 2	3	S241 and (retry\$3 retried) with broadcast\$3 with ((forward adj progress) (null adj directory) (directory near3 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:32
S26 3	3	(retry\$3 retried) with broadcast\$3 with ((forward adj progress) (null adj directory) (directory near3 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:33
S26 4	3	(retry\$3 retried) with broadcast\$3 with ((forward adj progress) (null adj directory) (directory near3 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:34
S26 5	3	(retry\$3 retried re-attempt\$3 reattempt\$3 (try\$3 near3 again)) with broadcast\$3 with ((forward adj progress) (null adj directory) (directory near3 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:35
S26 6	0	S259 and ((retry\$3 retried re-attempt\$3 reattempt\$3 (try\$3 near3 again)) with broadcast\$3 with ((forward adj progress) (null adj directory) (directory near3 protocol)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:33
S26 7	26864	S259 amd (hybrid near3 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:41
S26 8	0	S259 and (hybrid near3 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:41

EAST Search History

S269	0	S255 and (hybrid near3 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:41
S270	10	S241 and (hybrid near3 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:42
S271	10	S242 and (hybrid near3 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:42
S272	39	cache with (hybrid near3 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:42
S273	30	S272 and (((transfer\$4 near3 data) with (cache "L1" "L2") with memory) (updat\$3 near3 memory) (write-back victim\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:43
S274	13	S273 and ((order\$3 near3 point) (serial\$8 near3 request\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:44
S275	220099	S259 an((retry\$3 retried re-attempt\$3 reattempt\$3 (try\$3 near3 again)) with (broadcast\$3 snoop\$3) with ((forward adj progress) (null adj directory) (directory near3 protocol)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:34
S276	0	S259 and ((retry\$3 retried re-attempt\$3 reattempt\$3 (try\$3 near3 again)) with (broadcast\$3 snoop\$3) with ((forward adj progress) (null adj directory) (directory near3 protocol)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:34

EAST Search History

S27 7	3	S241 and ((retry\$3 retried re-attempt\$3 (try\$3 near3 again)) with (broadcast\$3 snoop\$3) with ((forward adj progress) (null adj directory) (directory near3 protocol)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:35
S27 8	4	((retry\$3 retried re-attempt\$3 (try\$3 near3 again)) with (broadcast\$3 snoop\$3) with ((forward adj progress) (null adj directory) (directory near3 protocol)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:48
S27 9	3	S278 and (hybrid adj protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:42
S28 0	3	S278 and (hybrid near5 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:42
S28 1	4733	(miss adj address adj file) MAF	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:49
S28 2	68	S281 same (write-back (writ\$3 near back) evict\$3 victim\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:50
S28 3	65	S282 same (cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:51
S28 4	7	S283 same ((broadcast\$3 snoop\$3) with (request\$3 response))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:53

EAST Search History

S28 5	32	S283 and ((broadcast\$3 snoop\$3) with (request\$3 response))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:53
S28 6	8	S283 same((broadcast\$3 snoop\$3) same (request\$3 response))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:52
S28 7	1	S286 not S284	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:52
S28 8	7	S283 same (((broadcast\$3 snoop\$3) with (request\$3 response)) same (node processor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:54
S28 9	27	S283 and (((broadcast\$3 snoop\$3) with (request\$3 response)) same (node processor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:59
S29 0	19	S289 not S286	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:55
S29 1	8	S289 not S290	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:59
S29 2	5	S285 not S289	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:59